





Preheated cottage...

...with the new remote control system



See details at <http://remote.wallas.fi>

- switch the heater on and off
- adjust the temperature
- check the temperature of the cottage and the voltage of the battery on the screen
- easy installation with prepaid phone card (uses GPRS, low operating costs)

Can be used on any internet-enabled device
iOS, Android, BlackBerry, Symbian, Windows, etc.



... for off-grid environment



12 V Voltage

- You can connect install the Wallas cottage heater easily to your solar panel system.

TIP

- You can use the heater in a 110/230V network with a 12V converter.




Low Amps

- Low power consumption enables you to keep your cottage warm even with a small battery.

How low is low?

- With a 100 Ah battery, you can use the heater continuously for 2 weeks at medium setting!



Multifuel

- You can use the heater with diesel, light home heating oil or kerosene.

How much fuel does it use?

- With one coffee cup of diesel fuel per hour, you will get 3100 BTU of heat.
- 40 CC at high setting consumes one 10l bucket of fuel per day.

Diesel cottage heaters

8,900 BTU
26 CC



Graphite Grey

The new elegant Wallas control panel includes the following functions:



Enjoy the feeling of warmth in your cottage with Wallas diesel heaters. The Wallas PI thermo control automatically adjusts the heat output to the correct level to keep the cottage at just the right temperature.

- Intelligent, smooth, PI thermo power control
- Manual power adjustment option
- Sun-switch (shuts unit off when not required)
- LED indicator lights
- Protection against accidental start and stop (child-safe)
- Flush mounted or surface mounted with bezel



Technical information

Model	26 CC	
Fuel consumption	0.09 – 0.26	l / h
	0.19 – 0.55	pints / h
Heat effect	0.9 – 2.6	kW
	3100 – 8900	BTU
Operating voltage	12	V
Power consumption	0.2 – 0.4	A
Dimensions (LxWxH)	730 340 200	mm
~	28 ¾ 13 ¼ 8	inches
Weight	18.5	kg
	41	lbs
Designed to heat	40 – 60	m ² floor
	430 – 650	square foot floor




Brown pine silhouette

13,600 BTU 40 CC

- ▶ Forget problems with matches, lighter fluid, damp linen and misty windows. With Wallas cottage heater you can have a warm cottage whenever you want.
- ▶ The heater burns with a clean laminar blue flame. Fully enclosed burner technology makes it smoke and odor-free. A laminar flame is most familiar from candles, and the sound is almost silent.
- ▶ Clean burning technology allows for long service intervals.
- ▶ You can choose between heaters with graphite grey or brown pine silhouette finishes.



Graphite Grey




Brown pine silhouette

Technical information

Model	40 CC	
Fuel consumption	0.16 – 0.4	l / h
	0.4 – 0.85	pints / h
Heat effect	1.6 – 4	kW
	5500 – 13600	BTU
Operating voltage	12	V
Power consumption	0.2 – 0.4	A
Dimensions (LxWxH)	730 440 240	mm
~	28 ¾ 17 ¼ 9 ½	inches
Weight	25	kg
	55	lbs
Designed to heat	60 – 90	m ² floor
	650 – 970	square foot floor

Principal



Installation



The Wallas cottage heater system can be installed through the wall or to the chimney.

Wall installation kit contains

- 26 CC / 40 CC Heater
- 4004 Exhaust through-wall head
- 4030 30 liter tank
- 4880 Exhaust through-wall kit
- 4430 Remote control system

Chimney installation kit contains

- 26 CC / 40 CC Heater
- 4030 30 liter tank
- 4880 Exhaust through-wall kit
- 4430 Remote control system





wallas[®]

cottage

Manufacturer: Wallas-Marin Oy, Kärrikatu 4, FI-20780 Kaarina, Finland
Tel. +358 (0)2 412 0500, Fax. +358 (0)2 412 0510. www.wallas.com

